	Application No.	Applicant(s)
Notice of Allowability	10/721,438	FUHRER ET AL.
	Examiner	Art Unit
	Kiet T. Nguyen	2881
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the response filed on 28 October 2005.		
2. The allowed claim(s) is/are <u>24-27 and 30</u> .		
 3. Acknowledgment is made of a claim for foreign priority until a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	been received.	·
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	ratent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Daf 08), 7. ⊠ Examiner's Amendr	
Paper No./Mail Date <u>8/20/04</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	,
		Jew
		KIET T. NGUYEN PRIMARY EXAMINER

Application/Control Number: 10/721,438

Art Unit: 2881

Applicant's election of Group III including claims 24-27 and 30 in the reply filed on 28 October 2005 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

This application is in condition for allowance except for the presence of claims 1-23 and 28-29 to invention non-elected without traverse above. Accordingly, claims 1-23 and 28-29 have been cancelled.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In The Claims

Claims 1-23 and 28-29 have been cancelled.

A telephone call was made to Eric B. Hall on 11-07-2005 to cancel the nonelected claims above, but did not result in an examiner's amendment being made.

The following is an examiner's statement of reasons for allowance:

The prior art fails to disclose a method for detecting the time arrival of a plurality of ions at a detector surface, which includes means for centroiding the electron charge fraction appearing simultaneously on nearest neighbor anodes in an anode array to determine the number ions impinging the detector surface, the time of arrival of each the impinging ion, and the spatial location at which each the impinging ion collided with

Application/Control Number: 10/721,438 Page 3

Art Unit: 2881

the detector surface as recited in claim 24; or means for deserializing a modulated serial data stream to determine the time of arrival of ions as recited in claim 30.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kiet T. Nguyen whose telephone number is 571-272-2479. The examiner can normally be reached on Monday-Friday 8-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R Lee can be reached on 571-272-2477. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KIET T. NGUYEN
PRIMARY EXAMINER

KN